

Comment on "Molecular Transport Junctions: Clearing Mists"

Massimiliano Di Ventra

University of California - San Diego, La Jolla, California 92093

In a recent review article [1] Lindsay and Ratner wrongly report several results found in literature regarding the calculation of the linear-response conductance of a 1,4-phenyldithiol molecule connected to gold electrodes. This leads them to the wrong conclusion regarding the agreement between the different theoretical calculations for this system. In table 2 of their paper, they report that the conductance of this molecule calculated with static density-functional theory (DFT) with metal electrodes described using the jellium model is $1 \mu S$. This is not correct. The linear-response conductance of that model is $3 \mu S$ as calculated in [2]. In addition, the conductance of reference [15] in their paper, whose method they call "DFT+bulk states" and which they use as the "reference theory", is about $5 \mu S$ and not $47 \mu S$ as stated in [1]. This value is very close to the one obtained using the jellium electrodes [2,3]. To the short list in table 2 of Ref. [1], one can add several other results, obtained using static DFT with various computational details. Here I just mention the conductance calculated by Ratner and co-workers, where in Ref. [4] they obtain a value of $2.8 \mu S$ and in Ref. [5] they report $4.8 \mu S$. In Ref. [6], a conductance of $6 \mu S$ is calculated by Damle *et al.* These re-

sults show that the statement made in Ref. [1] "With the exception of the results of the jellium model, the other values [of conductance] are within an order of magnitude" of those reported in Ref. [15] of [1], is incorrect. In fact, the opposite seems to hold: the majority of calculations yields a linear-response conductance close to the one obtained using the jellium model [2]. These values, however, are still too large compared to the experimental ones for the same system.

-
- [1] S. Lindsay and M. A. Ratner, *Advanced Materials* **19**, 23 (2007).
 - [2] M. Di Ventra, S. T. Pantelides, and N. D. Lang, *Phys. Rev. Lett.* **84**, 979 (2000).
 - [3] Z. Zhang, et al. *J. Chem. Phys.* **128**, 044711 (2008).
 - [4] Y. Xue, S. Datta, and M. A. Ratner, *J. Chem. Phys.* **115**, 4292 (2001).
 - [5] Y. Xue and M. A. Ratner, *Phys. Rev. B* **68**, 115406 (2003).
 - [6] P. S. Damle, A. W. Ghosh, and S. Datta, *Phys. Rev. B* **64**, 201403 (2001).